

Transfection reagent

3D-Fect™

3D Transfection Reagent for Scaffolds Sponges, Matrices, Inserts...


Protocol





3D-Fect™ Quick Protocol

To find the ideal conditions, **3D-Fect™** must be tested at ratios <u>3 µL</u>/µg DNA and <u>4 µL</u>/µg DNA. For the DNA quantity, we suggest 1 µg per 0.05 cm³ scaffold, **3** µg per 0.125 cm³ scaffold and **15** µg per 0.5 cm³ scaffold.*



IMPORTANT NOTES – Before you begin

- ✓ It is recommended to seed the 3D-scaffold the day of transfection.
- ✓ Allow reagents to reach RT and gently vortex them before forming complexes.
- ✓ During preparation of complexes, prevent 3D-Fect reagent solution to come into contact with any plastic surface that could result in material lost by adsorption. First, add serum-free culture medium to the tube and then mix 3D-FectIN directly into the solution.
- ✓ **Medium or buffer** <u>without serum & supplement</u> must be used for the DNA/3D-Fect complexes preparation. Culture medium such as DMEM or OptiMEM or buffers such as HBS or PBS are recommended. In contrast, we do not recommend RPMI for preparing the complexes.
- ✓ For doses of 3D-Fect less than 1µL, dilute the reagent with deionized water.

3D-Fect Reagent | Specifications

Package content	TF20250: 250 µL of 3D-Fect TF20500: 500 µL of 3D-Fect TF21000: 1mL of 3D-Fect
Shipping conditions	Room Temperature
Storage conditions	Store the 3D-Fect™ transfection reagent at +4°C upon reception
Shelf life	1 year from the date of purchase when properly stored and handled
Product Descriptions	3D-Fect [™] is specifically developed to directly transfect cells cultured in 3D scaffolds. 3D-Fect [™] is suitable for all kinds of scaffolds and cells.
Important notice	For research use only. Not for use in diagnostic procedures

Protocol | DNA or shRNA vectors

1. Cell Preparation

It is recommended to seed the 3D Scaffolds on the day of transfection.

The suitable cell density will depend on the growth rate, the cells conditions and the size of the matrix. In 3D cell culture, the cell number can be increased in comparison to 2D systems. For example, the number of cells may vary from 10,000 cells to more than 100,000 cells for a 0.05 cm³ 3D Scaffold (surface of 0.25 cm² x 0.2cm height).

The correct choice of optimal plating density also depends on the planned time between transfection and transgene analysis: for a large interval, prefer lower density and for a short interval a higher density may be advantageous (refer to Table 1). Optionally, we suggest seeding cells on 3D scaffolds loaded with complexes under slight agitation (150 rpm) from 4 to 24h, to facilitate the matrix colonization.

5	Scaffold size (cm³)	Number of cells	(ha) DNV	3D-Fect Volume (µL)	Dilution Volume (µL)	Transfection Volume
	0.05 (0.5 x 0.5 x 0.2)	0.1 - 1 x10 ⁵	1	3 - 4	2 x 50	500 μL
	0.125 (0.5 x 0.5 x 0.5)	0.25 - 2 x10 ⁵	3	9 - 12	2 x 50	500 μL
	0.5 (1 x 1 x 0.5)	1 - 10 x10 ⁵	15	45 - 60	2 x 100	1 mL

Table 1: Recommended starting conditions

2. Scaffold preparation

Before seeding the cells, matrices must be hydrated with a solution of DNA mixed with 3D-Fect™ reagent for one hour at 37°C. We recommend performing the scaffold re-hydration under slight agitation (150 rpm). For transfection experiments, we advise transferring the hydrated sponge or scaffold to a suitable cell culture dish or well before adding the cells and then incubate under agitation for better colonization.

3. DNA/3D-Fect complexes preparation


3D-Fect[™] / DNA complexes are prepared in PBS or medium <u>without</u> serum because serum interferes with vector assembly.

- a. 3D-Fect: Allow the reagent to reach Room Temperature. Vortex the reagent and dilute the indicated quantity of 3D-Fect (refer to Table 1) in 50 to 100 μ L of culture medium without serum and supplement. For optimization see next section.
- b. DNA: Dilute the indicated quantity of DNA (refer to Table 1) in 50 or 100 μ L of culture medium <u>without</u> serum and supplement.
- c. Add the DNA solution to the 3D-Fect solutions, mix gently by carefully pipetting up & down and incubate at room temperature for 20 minutes.

4. Transfection

- a. Place the 3D-Scaffold in a suitable cell culture dish and add the 3D-Fect / DNA complexes drop by drop. Try to avoid bubbles while hydrating the sponge (it can be gently squeezed against the well wall to chase air bubbles).
- b. Incubate the hydrated scaffold 1h at 37°C. We recommend 150 rpm agitation for better complexes dispersion within the 3D-Scaffold.
- c. Transfer the hydrated 3D-scaffold into an appropriate cell culture dish and add cells in complete culture medium (refer to Table 1).
 NOTE: cells can be placed under agitation (150 rpm) for a better scaffold colonization.

d. Incubate the cells at 37°C in a CO₂ incubator under standard conditions until evaluation of transgene expression.



3DFect Protocol steps

IMPORTANT CONSIDERATIONS

- For some cells, 24h post-transfection, replace the old media with fresh media or just add fresh growth culture medium to the cells.
- In the case of cells very sensitive to transfection, the medium can be changed immediately after cells have colonized the 3D-Scaffold.

Optimization Protocol

Optimal transfection conditions may vary depending on the nucleic acid, cell type, 3D scaffold composition and complexity, 3D scaffold volume and culture medium composition... We recommend optimizing the following parameters:

- Ratio of 3D-Fect[™] to DNA and quantity of nucleic acid used
- Cell number
- Culture medium composition (+/- serum) and reagent / nucleic acid complex medium
- Incubation time

Optimize one parameter at a time while keeping the other parameters constant. The two most critical variables are the ratio of 3D-FectTM reagent to DNA and the quantity of DNA.

1. 3D-Fect / DNA ratio

Depending on the 3D matrix, 3D-FectTM reagent has to be used in slight excess compare to DNA but the optimal ratio will also depend on the cells used. For optimization, first maintain a fixed quantity of DNA (according to the size of your scaffold or cell number) and then vary the amount of 3D-FectTM reagent over the suggested range in the Table 2. You can test ratios from 1 to 6 μL of 3D-FectTM reagent per 1 μg DNA.

Scaffold Size	DNA (µg)	3D-Fect™ Volume (µL)	3D-Fect™ Volume (µL) proposed interval
$0.05 \text{ cm}^3 (0.5 \times 0.5 \times 0.2)$	1	1 - 6	1-2-3-4-5-6
0.125 cm ³ (0.5 x 0.5 x 0.5)	3	3 – 18	3 - 6 - 9 - 12 - 15 - 18
0.5 cm ³ (1 x 1 x 0.5)	15	15 - 90	15 - 30 - 45 - 60 - 75 - 90

Table 2: Suggested range of 3D-Fect[™] for 3D-Fect[™] / DNA ratio optimization

2. Quantity of DNA

Adjust the amount of DNA by maintaining a fixed ratio of 3D-Fect to DNA, and vary the DNA quantity over the suggested range (Table 3).

Scaffold Size	DNA (µg)	DNA quantity (µg) proposed interval
$0.05 \text{ cm}^3 (0.5 \times 0.5 \times 0.2)$	0.5 - 2	0.5 – 1 – 1.5 - 2
0.125 cm ³ (0.5 x 0.5 x 0.5)	1.5 - 6	1.5 – 3 – 4.5 - 6
0.5 cm ³ (1 x 1 x 0.5)	7.5 - 30	7.5 – 15 – 22.5 – 30

Table 3: Suggested range of DNA amounts for optimization with 3D-Fect™

3. Cell number

The cell proliferating rate is also a critical parameter and the optimal confluency has to be adjusted according to the cells used. Use the recommended starting conditions (see Table 1) and vary the cell number to be assayed.

4. 3D-Fect[™] / DNA complex medium

The buffer or medium composition used to prepare the 3D-Fect / DNA may influence the transfection efficiency. For instance, PBS can be used to prepare the DNA and 3D-FectTM solutions instead of serum-free medium PBS composition: 137mM NaCl, 2.7mM KCl, 1.5mM KH₂PO₄ and 6.5mM Na₂HPO₄ x 2 H₂O; pH7.4. Other buffers such as HBS, Tris can also be used.

5. Effect of serum /Transfection volume

Transfection efficiency can be increased in absence of serum or under reduced serum condition. Consequently, cells may be kept in serum-free or reduced serum conditions during the first 3 to 4 hours of transfection. Transfection efficiency is delayed since cells have to colonize 3D matrices before transfection can occur. If you use <u>serum-free medium</u>, replace it by a culture medium containing serum or just add serum to the wells according to your standard culture condition after this period. **Remember that presence of serum during complex formation must be avoided**.

6. Incubation time

The optimal time range between transfection and assay for gene activity varies with cell line, promoter activity, expression product, etc. The transfection efficiency can be monitored after 1 to several days.

Reporter genes such as GFP, β -galactosidase, secreted alkaline phosphatase or luciferase can be used to quantitatively measured gene expression.

Additional products for your 3D transfection experiments:

- 3DFectIN transfection reagent for transfection in 3D hydrogels
- si3DFect transfection reagent for siRNA transfection in 3D scaffolds
- pVectOZ Transfection plasmids (CAT, GFP, LacZ, Luciferase, SEAP) Positive controls and optimization of all transfection experiments

Purchaser Notification

Limited License

The purchase of this product grants the purchaser a non-transferable, non-exclusive license to use the kit and/or its separate and included components (as listed in section 1, Kit Contents). This reagent is intended for in-house research only by the buyer. Such use is limited to the purposes described in the product manual. In addition, research only use means that this kit and all of its contents are excluded, without limitation, from resale, repackaging, or use for the making or selling of any commercial product or service without the written approval of OZ Biosciences. Separate licenses are available from OZ Biosciences for the express purpose of non-research use or applications of this product. To inquire about such licenses, or to obtain authorization to transfer or use the enclosed material, please contact us. Buyers may end this License at any time by returning the product and documentation to OZ Biosciences, or by destroying all components. Purchasers are advised to contact us with the notification that the product is being returned in order to be reimbursed and/or to definitely terminate a license for internal research use only granted through the purchase of the kit(s). This document covers entirely the terms of the research only license, and does not grant any other express or implied license. The laws of the French Government shall govern the interpretation and enforcement of the terms of this License.

Product Use Limitations

This product and all of its components are developed, designed, intended, and sold for research use only. They are not to be used for human diagnostic or included/used in any drug intended for human use. All care and attention should be exercised in the use of the kit components by following proper research laboratory practices.



www.bocascientific.com (781) 686-1631 info@bocascientific.com