


Anti-Conjugated D-Aspartic Acid

Product Information Sheet
1055GE



SUMMARY

shipped on blue ice; store at -20 °C

For research use only.

Not for use in diagnostic or therapeutic procedures.

Description

Polyclonal antisera were raised in rabbits after immunization with the conjugates: D-Aspartic Acid-glutaraldehyde-carriers.

Contents: The antibody is supplied in a unit size of 50 µl in PBS with 50% glycerol.

Storage and Handling

When this product is stored undiluted at -20 °C or lower, it is stable for at least 2 years. Multiple freezing and thawing is only possible up to 5 times. The antibodies can be prediluted 10x in PBS containing 0.1% merthiolate or a mixture of PBS/glycerol (1:1, vol./vol.). At 4 °C these solutions are stable for 2 months.

Specificity

Using a conjugate D-Aspartic Acid-glutaraldehyde protein, antibody specificity was determined in an ELISA test by competition experiments with the following compounds:

Compound	Cross-reactivity ratio ^(a)
D-Aspartic Acid-G-BSA	1
L-Aspartic Acid-G-BSA	1:
D-Glutamic Acid	1:
L-Glutamic Acid-G-BSA	1:
N-Methyl-D-Aspartic Acid-G-BSA	1:

(a): D-Aspartic Acid-G-BSA concentration / concentration of unconjugated or conjugated amino acids at half displacement;
G = Glutaraldehyde, BSA = Bovine Serum Albumine

Recommended dilution

The anti-conjugated D-Aspartic Acid antibodies can be diluted 1:2,000 to 1:5,000.

Anti-Conjugated D-Aspartic Acid



Product Information Sheet
1055GE

Order Information, Shipping and Storage

Order#	Product	Quantity
1055GE	Anti-Conjugated D-Aspartic Acid	50 µl
shipped on blue ice; store at -20 °C		

Contact and Support

MoBiTec GmbH ● Lotzestrasse 22a ● D-37083 Goettingen ● Germany

Customer Service – General inquiries & orders Technical Service – Product information

phone: +49 (0)551 707 22 0
fax: +49 (0)551 707 22 22
e-mail: order@mobitec.com

phone: +49 (0)551 707 22 70
fax: +49 (0)551 707 22 77
e-mail: info@mobitec.com

MoBiTec in your area: Find your local distributor at www.mobitec.com